

line 15, change "work needs" to -- procedure involves --;

line 18, before the period insert -- of the related art --;

line 24, change "soil" to -- dirt --.

Page 5 line 3, change "air blowing which utilizes" to -- blown --;

line 5, change "contaminations" to -- contamination --;

line 9, change "is" to -- will be --;

line 11, change "for" to -- of --;

line 14, change "consists" to -- comprises steps --;

line 24, change "a" to -- the --.

Page 6 line 1, change "machine" to -- apparatus --; delete "out";

line 4, change "machine" to -- apparatus --;

line 12, change "against" to -- on --;

line 14, delete "either";

line 15, change "or" to -- and/or --;

line 17, after "seals" insert a comma;

line 18, change "and" to -- and/or --;

line 19, change "components" to -- parts with enhanced airtightness --;
change "against" to -- on --;

line 21, change "and" to -- and/or --; change "components" to -- parts with
enhanced airtightness --.

Page 7 line 2, change "against" to -- on --;

line 5, change "winkers" to -- side lights --;

line 6, change "for" to -- of --; after "film" insert a comma;

line 7, change "if" to -- in conventional methods because --;

line 8, after "components" insert a comma;

line 10, change "machine" to -- apparatus --;

line 13, after "on" insert -- a combination of --; change "method" to
-- methods --;

line 14, change "or" to -- and --; change "embodiment" to

--embodiments--; change "present" to --combination--;

lines 15 and 16, delete "applying the strippable paint to the sprayed coating of the product,";

line 21, delete "preliminarily" (first occurrence).

Page 9 line 7, before "applying" insert --a washing step using warm water and a dehydrating step using hot air, an application step consisting of--;

line 8, after "subsequent" insert --drying--;

lines 8 and 9, change "applying the strippable paint" to --multiple drying stages--;

line 16, change "winkers" to --turning lights--;

line 23, after "formed" insert --, such--.

Page 10 line 10, after "to" insert --a preferred embodiment of--;

line 12, change "step" to --steps--;

line 13, delete "consisting"; before the period insert --and drying the strippable paint--;

line 14, change "illustrate" to --illustrated--.

Page 11 line 3, after "first" insert --preferred--; after "embodiment" insert --of the invention--;

line 4, change "is" to --once--; change "and" to --is--;

line 5, after "water," insert --and--;

line 11, after "water," insert --and--.

Page 12 line 10, after "automobile" insert --when--;

line 12, after "coating" insert --having--;

line 18, change "1.5/min" to --1.5 l/min--.

Page 13 line 3, change "certainly" to --reliably--;

line 5, after "second" insert --preferred--; after "invention" insert a comma;

line 7, after "product" insert a comma;

line 16, after "paint is" insert --preferably--;

line 20, after "be" insert -- in ranges of --.

Page 14 line 2, change "out of" to -- from --;

line 8, change "the" to -- a --;

line 22, after "a" insert -- preliminary drying --; delete "previous to the drying step 9";

line 23, after "as" insert -- a heat source in --;

line 25, after "from" insert -- the --; after "inside" insert -- thereof --.

Page 15 line 3, change "started" to -- initiated --;

line 4, before "surface" insert -- outer --;

line 6, after "inside" insert -- thereof --;

line 8, before "accelerated" insert -- preferably --; before the period insert

-- according to the invention using an infrared drying furnace --;

line 13, after "is" insert -- preferably --;

line 20, change "accessaries" to -- accessories --;

line 21, change "accessaries" to -- accessories --;

line 24, change "accessaries" to -- accessories --;

line 25, change "or" to -- and --.

Page 16 line 2, change "the application of" to -- applying --;

line 3, change "the formation of" to -- forming --; after the comma insert -- and --;

line 4, after "preliminary" insert -- and non-preliminary --; change "furnace" to -- furnaces --;

lines 4 and 5, change ", and the non-preliminary drying furnace forms" to -- form --;

line 10, change "certainly" to -- reliably --;

line 11, before the period insert -- according to the invention --; change "Especially" to -- Particularly --;

line 14, delete "provided. The preliminary drying is".

Page 17 line 5, after "region" insert --, i.e., the hood surface, --;

line 8, before the semicolon insert -- using pressure sensitive adhesive tape

15 --;

line 20, after "circular" insert -- piece of --;

line 24, change "Generally used" to -- Conventional --.

Page 18 line 24, change "winker" to -- turning light --.

Page 19 line 13, change "winker" to -- turning light --;

line 15, change "winker" to -- turning light --;

line 23, change "winker" to -- turning light --;

line 25, before the period insert -- embodiment --.

Page 20 line 6, change "work" to -- procedure --;

line 12, change "pass" to -- have been assembled and passed --;

line 13, delete "after being assembled";

lines 19 and 20, delete "after the automobile is assembled";

line 20, change "problem" to -- problems --;

line 23, change "step" to -- steps --;

line 25, after "cover" insert -- relative to the vehicle body --.

Page 21 lines 2 and 3, change "Because consequently" to -- Consequently,
because --;

line 5, after "discontinuous" insert a comma; delete "and therefore";

line 6, after "necessary" insert -- in the conventional method, so that --;

line 24, change "With this" to -- According to the present --.

Page 22 line 4, before the period insert --, respectively --;

line 15, change "; before painting is carried out" to -- involving --;

line 16, delete "ordinarily performed is";

line 17, change "and" to -- after which --;

line 19, delete "this is";

line 20, after "automobile" insert -- ordinarily --; delete "ordinarily